

COMMERCIAL



Dynamic Building Material Co., Ltd.

Unit B3, Block B, 19/F Kailey Industrial Centre 12 Fung Yip Street Chai Wan, Hong Kong Tel: (852) 2838 0692

Fax: (852) 2116 0378 Email: info@dynamichk.com

www.dbmhk.com








PONTINI®

COMMERCIAL & INDUSTRIAL DRAINAGE SYSTEM









Grate With Frame Base

 Item No.
 Size

 HW&FRC
 250*250*25mm / 300*300*25mm / Customized

 GM&FRC
 250*250*25mm / 300*300*25mm / Customized


 TL&FRC
 250*250*25mm / 300*300*25mm / Customized

Material: Stainless steel Grade 304/316

Finish: Brushed
Color: Stainless


Grate Pattern: Tile Insert / Wedge Wire Grate / Mesh

Frame: 25*25*25mm (90 Angle Bar)









Wedge Wire Grate With Frame Base Channel

Item No.	Size (W*L)
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
HW05W150FRC	150*1000/3000mm
HW05W250FRC	250*1000/3000mm
HW05W300FRC	300*1000/3000mm

Material: Stainless steel Grade 304/316

Finish: Satin


Loading Class: Light Duty

Application: Pathways, pedestrain areas and comparable surfances

e.g.parks, car parks and car parking decks







Mesh Grate With Frame Base Channel

Item No.	Size (W*L)
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
GM03W150FRC	150*1000/3000mm
GM03W250FRC	250*1000/3000mm

Material: Stainless steel Grade 304/316

Finish: Satin


GM03W300FRC

Loading Class: Light Duty

Application: Pathways , pedestrain areas and comparable surfances


e.g.parks , car parks and car parking decks

300*1000/3000mm









Double Seal Accessed Manhole Cover

Item No.	Clear Opening	Depth
MHD-600	600*600mm	125mm
MHD-800	800*800mm	125mm
MHD-900	900*900mm	125mm


Material: Stainless steel Grade 304/316


Finish: Satin


Loading Class: Light Duty

Application: Pathways , pedestrain areas and comparable surfances

e.g.parks, car parks and car parking decks







Recessed Manhole Cover

Iter	n No.	Clear Opening	
• • •		• • • • • • • • • • • • • • • • • • • •	• • • • • • •
MH	A-600	600*600mm	90mm
MH	A-800	800*800mm	90mm
MH	A-900	900*900mm	90mm


Material: Stainless steel Grade 304/316

Finish: Satin

Loading Class: Light Duty

Application: Pathways, pedestrain areas and comparable surfances


e.g.parks, car parks and car parking decks











Floor Clean Out


Item No.	Grate Style	Size	Outlet
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
CFH-150A	Anti	150*150*148.5mm	75 mm
CFH-150S	Smooth	150*150*148.5mm	75 mm


Material: Stainless steel Grade 304/316
Finish: Polish / Satin / Electric Polished


Loading Class: Light Duty

Application: Pathways, pedestrain areas and comparable surfances

e.g.parks, car parks and car parking decks







Trash Box

Item No.	Size	Outlet
TBS200	200*200*268mm	75 /100mm
TBS250	250*250*268mm	75 /100mm

Material: Stainless steel Grade 304/316
Finish: Polish / Satin / Electric Polished

Color: Stainless


Grate Pattern: Tile Insert / Wedge Wire Grate / Anti-sliding Grate


Ladder Grate / Mesh Grate for option

(see page 16)

Application: Pathways, pedestrain areas and comparable surfances

e.g.parks, car parks and car parking decks








DRAINAGE SYSTEM

The type of drainage finds application of swimming pool, food processing plants(breweries, dairy plants, slaughterhouses), chemical plants, restaurants, hospitals, and the like.

They are also used in the facilities, where the sanitary regulations and technoligical process necessitate making the stainless steel drainage, due to high hygienic requirements.

Customised solutions upon request

- Customised channel widths
- Material grade 316
- Made to Measure




Material: Stainless steel Grade 304/316

Finish: Polish / Satin / Electric Polished

Color: Stainless

Special: Flanges connected with Rubber Seal to avoid leak

SS200X Series



Linear-SS2001

Item No.	W * H	L	Depth
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •
TR80DE	181*100mm	1000/1500/2000mm	80mm
TR100DE	181*120mm	1000/1500/2000mm	100mm
TR100/120DE	181*120/140mm	1000/1500/2000mm	100/120mm








Corner-S2002

Branch-S2003

Trash Box-S2004







End Cap-S2005


Outlet-S2006

Gasket



DRAINAGE CHANNEL CHANNEL EDGE FINISHING

The edge finishing should depend on the flooring and water temperature. We can offer the following options:



Application

The type of drainage finds application of swimming pool, food processing plants (breweries, dairy plants, slaughterhouses), chemical plants, restaurants, hospitals, and the like. They are also used in the facilities, where the sanitary regulations and technological process necessitate making the stainless steel drainage, due to high hygienic requirements

GRATE STYLE

Grate	Available Length
Wedge Wire Grate-HW03 / HW05 / HW08	H:20mm L:500/1000/1500mm
	•••••
Anti-sliding Grate-HW05S	H:20mm L:500/1000/1500mm
Ladder Grate-GL	H:25mm L:500/1000/1500mm
	•••••
Mesh Grate-GM	H:25mm L:500/1000/1500mm

^{*} Customised design is available, pls provide the details or drawing.






SLOTTED SYSTEM

Slotted channels are supplied ex-works in lengths of 1000 mm/section. It is designed to be conneceted with flange and screws. Rubber seal is used to avoid the leak.


Typical Applications: Industrial kitchens in canteens, hospitals, care homes, businesses, catering companies, pubs, restaurants, fast food outlets, cafeterias, abattoirs and meat-processing industry, butcher's, drink industry, pharmaceutical industry, cosmetics industry, swimming pools and leisure industry.

Customised solutions upon request

- Customised channel widths
- Material grade 304/316
- Extra-flat models



SS400X Series



Linear-SS4001

Item No.	W * H	L	Depth
• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		
\$\$4001	105*85mm	500~1800mm	70mm
SS4001	120*150mm	500~1800mm	135mm



Branch-SS4002




Corner-SS4003



Trash Box-SS4004



End Cap-SS4005



Outlet-SS4006



Silicon Seal



PVC GUTTER



The PVC channel is desigend for the demand for economic but effective surface drainage system. It is developed for the safe and attactive drainage of patios, driveways, and other paved surfaces.

Typical Applications

- -Garages -Patios
- -Driveways
- -Pedestrian Area



PL300X Series



Linear-PL3001 / PL3002

Item No.	Grate	Base	W * H * L	Loading Class
	• • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		
PL3001	PP	PP	125*80*1000mm	A15
PL3002	Galvanized	PP	125*80*1000mm	A15



End Cap-PL3003



Square Hub-PL3004



Leaf Guard-PL3005



Outlet-PL3006



HDPE Drainage Channel System

Slotted channels are supplied ex-works in lengths of 1000 mm/section. It is designed to be conneceted with flange and screws. Rubber seal is used to avoid the leak.

Typical Applications: Industrial kitchens in canteens, hospitals, care homes, businesses, catering companies, pubs, restaurants, fast food outlets, cafeterias, abattoirs and meat-processing industry, butcher's, drink industry, pharmaceutical industry, cosmetics industry, swimming pools and leisure industry.

Customised solutions upon request


- Customised channel widths
- Material grade 304/316
- Extra-flat models




PONTINI

HDPE Linear Channel








Item No.	IW * IH * IL	W * H * L
U100	100*45*1000mm 100*100*1000mm 100*150*1000mm	145*80*1000mm 150*130*1000mm 150*190*1000mm
U150	150*150*1000mm	215*195*1000mm
U200	200*200*1000mm 200*250*1000mm	270*240*1000mm 250*300*1000mm
U250	250*250*1000mm	310*305*1000mm
U300	300*300*1000mm	360*360*1000mm
U400	400*400*1000mm	475*450*1000mm
U500	500*500*1000mm	575*550*1000mm



Grate Option



Catch Basin

Low Profile Catch Basin with with Flexible Pipe 2"





Catch Basin Kit with Debris Basket and Grating









WEDGE WIRE GRATE


POLYMER CONCRET DRAIN













SWIMMING POOL / BALCONY / SHOWER ROOM / BASIN / PUBLIC AREA

INNOVATIVE DRAINAGE SOLUTIONS

PONTINI®